



SCORPION

Raccordement Haut Débit / High Flow Connector

* Les pièces peuvent différer de l'image sans préavis / Parts may vary from image without notice

Spécifications / Specifications

Fluide / Fluid : Air et Vide - Air and Vacuum
Pression / Working Pressure Range : 0-150 PSI

Vide / Negatif Pressure : -29"Hg
Température / Temperature Range : 0°C a/to 60°C (32°F a/to -140°F)

Union Male-Male NPT / Adaptor Male-Male NPT * 2" Long



Part Number	Filet Male NPT / Thread Male NPT	Filet Male NPT / Thread Male NPT
A2.1.1.SP	1"	1"
A2.1.2.SP	1"	2"
A2.1.3.SP	1"	3"
A2.1-1/2.1-1/2.SP	1-1/2"	1-1/2"
A2.1-1/2.2.SP	1-1/2"	2"
A2.2.2.SP	2"	2"
A2.2.3.SP	2"	3"
A2.2.4.SP	2"	4"
A2.3.3.SP	3"	3"
A2.3.4.SP	3"	4"
A2.4.4.SP	4"	4"

Réducteur / Reducer Male-Female NPT



Part Number	Filet Male NPT / Thread Male NPT	Filet Femelle NPT / Thread Female NPT
A4.1-1/4.1.SP	1-1/4"	1"
A4.1-1/2.1.SP	1-1/2"	1"
A4.1-1/2.1-1/4.SP	1-1/2"	1-1/4"
A4.2.1.SP	2"	1"
A4.2.1-1/4.SP	2-1/4"	1-1/4"
A4.2.1-1/2.SP	2-1/2"	1-1/2"
A4.2-1/2.2.SP	2-1/2"	2"
A4.3.2.SP	3"	2"
A4.3.2-1/2.SP	3"	2-1/2"
A4.4.2.SP	4"	2"
A4.4.3.SP	4"	3"

Adapteur en "T" / Adaptor "T" Female NPT



Part Number	Filet Femelle NPT / Thread Female NPT	Filet Femelle NPT / Thread Female NPT
A11.1.SP	1"	1"
A11.1-1/4.SP	1-1/4"	1-1/4"
A11.1-1/2.SP	1-1/2"	1-1/2"
A11.2.SP	2"	2"
A11.2-1/2.SP	2-1/2"	2-1/2"
A11.3.SP	3"	3"
A11.4.SP	4"	4"



SCORPION

Raccordement Haut Débit / High Flow Connector

* Les pièces peuvent différer de l'image sans préavis / Parts may vary from image without notice

Spécifications / Specifications

Fluide / Fluid : Air et Vide - Air and Vacuum

Pression / Working Pressure Range : 0-150 PSI

Vide / Negatif Pressure : -29"Hg

Température / Temperature Range : 0°C a/to 60°C (32°F a/to -140°F)

Adapteur en Coude / Adaptor "ELBOW" Female NPT



Part Number	Filet Femelle NPT / Thread Female NPT	Filet Femelle NPT / Thread Female NPT
A9.1.SP	1"	1"
A9.1-1/4.SP	1-1/4"	1-1/4"
A9.1-1/2.SP	1-1/2"	1-1/2"
A9.2.SP	2"	2"

Barbillon / BARB Fitting Male NPT

* Série Métal / Metal series



Part Number	Tube	Filet Male NPT /Thread Male NPT
BM1.1.1	1"	1"
BM1.1-1/4.1-1/4	1-1/4"	1-1/4"
BM1.1-1/2.1-1/2	1-1/2"	1-1/2"
BM1.2.2	2"	2"
BM1.3.3	3"	3"
BM1.4.4	4"	4"

* Série Nylon / Nylon series



Part Number	Tube	Filet Male NPT /Thread Male NPT
BM1.1-1/4.1-1/4.N	1-1/4"	1-1/4"
BM1.1-1/2.1-1/2.N	1-1/2"	1-1/2"
BM1.2.2.N	2"	2"
BM1.3.3.N	3"	3"
BM1.4.4.N	4"	4"

Union / Adaptor Female-Female NPT



Part Number	Filet Femelle NPT / Thread Female NPT	Filet Femelle NPT / Thread Female NPT
A3.1.SP	1"	1"
A3.1-1/4.SP	1-1/4"	1-1/4"
A3.1-1/2.SP	1-1/2"	1-1/2"
A3.2.SP	2"	2"

561, Rue Édouard, Granby, QC J2G 3Z5 TEL.: 1-800-665-3565

www.mscorpion.com | www.scorpionmfg.com



SCORPION

Raccordement Haut Débit / High Flow Connector

** Les pièces peuvent différer de l'image sans préavis / Parts may vary from image without notice*

Spécifications / Specifications

Fluide / Fluid : Air et Vide - Air and Vacuum

Pression / Working Pressure Range : 0-150 PSI

Vide / Negatif Pressure : -29"Hg

Température / Temperature Range : 0°C a/to 60°C (32°F a/to -140°F)

Collet Vissé / Collet



Part Number	Nominal	Min	Max
Collet.Visse.1	1"	0.69"	1.50"
Collet.Visse.1-1/4	1-1/4"	0.75"	1.75"
Collet.Visse.1-1/2	1-1/2"	1.06"	2.00"
Collet.Visse.1-3/4	1-3/4"	1.31"	2.25"
Collet.Visse.2	2"	1.56"	2.50"
Collet.Visse.2-1/4	2-1/4"	1.81"	2.75"
Collet.Visse.2-1/2	2-1/2"	2.06"	3.00"
Collet.Visse.2-3/4	2-3/4"	2.31"	3.25"
Collet.Visse.3	3"	2.56"	3.50"
Collet.Visse.3-1/4	3-1/4"	2.81"	3.75"
Collet.Visse.3-1/2	3-1/2"	3.06"	4.00"
Collet.Visse.3-3/4	3-3/4"	3.31"	4.25"
Collet.Visse.4	4"	2.50"	4.50"
Collet.Visse.4-1/2	4-1/2"	3.00"	5.00"

*Tuyau transparent avec renforcement pour vide / Reinforced Vacuum Tubing - Minimum 25'



Part Number
FLEX.1
FLEX.1-1/4
FLEX.1-1/2
FLEX.2
FLEX.2-1/2
FLX-T.PU..3
FLEX.4

** Disponible en Inox (Contactez nous) / Available in Stainless (Contact us)*